Couches for patient examinations and minor treatment procedures

INTRODUCTION

	CONTENTS
4-5	2 Section Couches
6-7	2 Section Mobile Treatment Co
8-9	3 Section Couches
10-11	3 Section Mobile Treatment Co
12-13	Multi 3 Section Couches
14-15	Orthopaedic Couches
16-17	Echocardiography Couch
18-19	3 Section Scanning Couch
20-21	Ultrasound Couch
22-23	Phlebotomy Couches
24-25	Multi Dual Footrest Couches
26-27	Gynaecology Couches
28-29	Deluxe Gynaecology Couch
30-31	Bariatric Couches

iches

Fixed Height and Portable Couches

33 Chairs and Stools

and Colours

34-35 Couch Accessories

32

SEERSMEDICAL Limited design and manufacture in the UK a wide range of patient examination furniture for various medical procedures such as Gynaecology, Ultrasound, Phlebotomy, Lymphoedema, Physiotherapy and Osteopathy. There is a wide choice of models and accessories to cater for various examination procedures as well as specialist treatment and minor ops etc. All models are variable in height with a choice of both manual or electric positioning and height operation.

The development of these products has been achieved by applying our many years of experience and knowledge in this market. A lot of thought has been given to the design to benefit both the comfort and security of the patients as well as providing manual handling solutions which promote good posture and ergonomics to all clinical staff when they are using this equipment.

We trust you will experience this yourself when you purchase a SEERS MEDICAL product.



• Safe working load and lifting capacity (from minimum height) of 240kgs on all Therapy couch products to cater for very heavy patients. 240kgs=37.7 stone=528lbs

• Variable in height to promote the correct posture and working position for clinical staff during medical examinations and various treatment procedures

• Choice of hydraulic or electric height control to suit the independent requirement of the user and the environment

• Anti bacterial upholstery vinyl –will not support microbial or fungal growth including salmonella, E Coli and MRSA

• All pivot points are fitted with Oilite[®] self lubricating bearings which are impregnated with a mineral oil to reduce wear and provide both smooth and silent operation, requiring minimal maintenance

• Anti-trap design gas strut cylinders on the majority of backrests and elevating sections, requiring the use of the "release lever" only when returning the section back to the "closed or negative" position

• Wide choice of models and optional accessories providing suitability for a wide range of patient examinations and various treatment procedures

• All couch frames include fixation holes for easy addition of optional accessories

UK production facility

• Extremely strong and rigid for longevity and constant heavy use

• Low patient transfer heights to minimise manual handling

• Integral wheel system for ease of movement and positioning

Oilite[®] is the registered trademark of Oilite Bearings Ltd





A very strong and rigid couch available with a wide range of optional accessories. Suitable for supporting very heavy patients for examination and minor treatment procedures.

Model SM2560. Colour Cream


2 SECTION MEDICARE COUCH

2 SECTION MEDICARE COUCH CHOICE OF MODELS AVAILABLE

SM2550 Hydraulic

SM2560 Electric

SM2570 Electric with electric backrest




STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Adjustable backrest from -25 to +75 degrees positive (0 to +85 degrees Model SM2570)
- The power assisted backrest section incorporates anti-trap design (model SM2550/2560)
- Choice of manual or electric height elevation
- Excellent height range from 43-97cm (17"-37")
- Retractable wheel design and adjustable foot for stability on uneven surfaces
- Oilite[®] bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on electric models
- Frames pre-drilled for addition of accessories
- Standard width 65cm (25")
- Choice of upholstery colours see back cover For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES


- Model 6053 Protective base frame shrouding
- Model 6004 Breathing hole and plug for prone treatments
- Model 6200 Single foot switch operation for model SM2560
- Model 6207 Double foot switch operation for model SM2570
- Model 6005 Paper towel holder
- Model 6002 Side support rails (each)
- Model 6002P Side support rail cushions (each)
- Model 6006 Upper limb support
- Model 6007 Removable head/knee support
- Model 6075 Optional 75cm width
- Model 6085 Optional 85cm width
- See pages 34 and 35 for additional information



Model SM2560 Minimum height. Colour Cream

A very strong and rigid mobile treatment couch supplied with side support rails and paper towel holder. The large wheel system incorporates a steering facility and the couch has an excellent height range with low patient transfer height of just 46cm.

MEDICARE 2 SECTION MOBILE TREATMENT COUCH



STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Adjustable backrest from -25 to +75 degrees (0 to 85 degrees on electric backrest Model SM2670)
- The power assisted backrest section incorporates anti-trap design (Model SM2650/2660)
- Choice of manual or electric height elevation
- Excellent height range from 46-99cm (18"-39")
- Large mobile wheel design with steering facility
- Standard with side support rails and paper roll holder
- Oilite[®] bearings on all pivot points
- Clearance beneath frame for mobile hoist (16.5cm)
- Hand switch fitted as standard on electric models
- Standard width 65cm (25")

• Choice of upholstery colours - see back cover For alternative widths, please refer to price list.

- Model 6053 Protective base frame shrouding
- Model 6004 Breathing hole and plug for prone treatments
- Model 6200 Single foot switch operation for model SM2660
- Model 6207 Double foot switch operation for model SM2670
- Model 6002 Side support rail (each)
- Model 6002P Side support rail cushions (each)
- Model 6007 Removable head/knee support
- Model 6075 Optional 75cm width
- Model 6085 Optional 85cm width
- See pages 34 and 35 for additional information




3 SECTION MEDICARE COUCH

Incorporating both an adjustable angle backrest and adjustable head/foot section, these models are very

> versatile and suitable for a wide range of patient examination procedures.

CHOICE OF MODELS AVAILABLE SM3550 Hydraulic SM3560 Electric SM3570 Electric with electric backrest MODEL SM8550 MODEL SM8560 Matchiel Research House, Street

3 SECTION MEDICARE COUCH



Model SM3560. Colour Sky Blue

STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Adjustable angle backrest from horizontal to +70 degrees positive (+85 degrees on Model SM3570)
- Adjustable angle head/foot section from -25 to +75 degrees positive
- The power assisted backrest and foot sections incorporate anti-trap design gas struts
- Choice of manual or electric height elevation
- Excellent height range from 43-97cm (17"-37")
- Retractable wheel design and adjustable foot for stability on uneven surfaces
- Oilite[®] bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on electric models
- Frames pre-drilled for addition of accessories
- Standard width 65cm (25")
- Choice of upholstery colours see back cover For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Model 6053 Protective base frame shrouding
- Model 6004 Breathing hole and plug for prone treatments
- Model 6200 Single foot switch operation for model SM3560
- Model 6207 Double foot switch operation for model SM3570
- Model 6005 Paper towel holder
- Model 6002 Side support rails (each)
- Model 6002P Side support rail cushions (each)
- Model 6006 Upper limb support
- Model 6007 Removable head/knee support
- Model 6075 Optional 75cm width
- Model 6085 Optional 85cm width
- See pages 34 and 35 for additional information

Model **SM3560** Minimum height. Colour Emerald

> Model SM3560 Maximum height with optional breathing hole. Colour Sky Blue

3 SECTION MOBILE TREATMENT COUCH

A very strong and versatile mobile treatment couch supplied with side support rails and paper towel holder. The large wheel system incorporates a steering facility and the adjustable 3 section top is also suitable for seated procedures.

The couch has an

excellent height range with low patient transfer height of just 46cm.

MEDICARE 3 SECTION MOBILE TREATMENT COUCH CHOICE OF MODELS AVAILABLE SM3650 Hydraulic SM3660 Electric SM3670 Electric with electric backrest MODEL SMB650 MODEL SMIREED Reight Range Allem - 90em MODEL SM3670 Reight Range Allow - Stem

Model SM3650. Colour Sky Blue

STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Adjustable backrest from 0 to +70 degrees positive(0 to 85 degrees on electric backrest Model SM3670)
- Adjustable foot section -25 to +75 degrees positive
- The power assisted foot and backrest sections incorporate anti-trap design (model SM3650/3660)
- Choice of manual or electric height elevation
- Excellent height range from 46-99cm (18"-39")
- Large mobile wheel design with steering facility
- Standard with side support rails and paper roll holder
- Oilite[®] bearings on all pivot points
- Clearance beneath frame for mobile hoist (16.5cm)
- Hand switch fitted as standard on electric models

• Standard width 65cm (25")

• Choice of upholstery colours - see back cover For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Model 6053 Protective base frame shrouding
- Model 6004 Breathing hole and plug for prone treatments
- Model 6200 Single foot switch operation for model SM3660
- Model 6207 Double foot switch operation for model SM3670
- Model 6002 Side support rail (each)
- Model 6002P Side support rail cushions (each)
- Model 6007 Removable head/knee support
- Model 6075 Optional 75cm width
- Model 6085 Optional 85cm width
- Model 6100 Matching operators chair
- See pages 34 and 35 for additional information

Model SM3650. Minimum height. Colour Sky Blue

Model **SM3650** With optional base frame shrouding. Colour Sky Blue

Incorporating both an adjustable angle backrest and a single drop end foot section, these models are suitable for a wide range of seated and supine patient examination procedures

MULTI SINGLE FOOTREST COUCHES


MEDICARE MULTI SINGLE FOOTREST COUCH

CHOICE OF MODELS AVAILABLE

SM9556 Hydraulic

SM9566 Electric

SM9576 Electric with electric backrest



Model SM9566. Colour Grey

STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Adjustable angle backrest from horizontal to +80 degrees positive
- Adjustable angle foot section from horizontal to -90 degrees negative
- The power assisted backrest and foot sections incorporate anti-trap design gas struts
- Choice of manual or electric height elevation
- Excellent height range from 50-105cm (19"-39")
- Compact frame design with retractable wheel system
- Adjustable foot for stability on uneven surfaces
- Oilite[®] bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on electric models
- Frames pre-drilled for addition of accessories

- Standard width 64cm (25")
- Choice of upholstery colours see back cover For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Model 6052 Protective base frame shrouding
- Model 6007 Head support cushion
- Model 6006 Upper limb support
- Model 6045 Gynaecology leg supports
- Model 6005 Paper towel holder
- Model 6004 Breathing hole and plug for prone treatments
- Model 6200 Single foot switch operation for model SM9566
- Model 6207 Double foot switch operation for model SM9576 See pages 34 and 35 for additional information

Model SM9566. Minimum height. Colour Grey

Model SM9566. Colour Grev

ORTHOPAEDIC COUCH

MEDICARE ORTHOPAEDIC COUCH CHOICE OF MODELS AVAILABLE


SM5555 Hydraulic

SM5565 Electric

SM5575 Electric with electric backrest

SM5585 Electric height, tilt and backrest operation

SM5585D Deluxe model with base shroud, orthopaedic accessories and stool






Designed specifically for plaster casting technicians, this couch features individually adjustable leg sections and is available with a range of optional accessories to assist and support the technician in carrying out various casting procedures. The Deluxe version is

supplied as a package with base shroud, set of accessories and matching stool

Model **SM5565.** With optional intrument tray, breathing hole and matching stool. Colour Dark Blue





STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Adjustable angle backrest from horizontal to +80 degrees positive
- Adjustable angle footrests from hoizontal to -90 degrees negative
- The power assisted foot sections incorporate anti-trap design gas struts
- The footrests extend for tall patients
- Choice of manual hydraulic or electric operating models
- Excellent height range from 50-102cm (19"-39")
- Compact frame design with retractable wheel system
- Adjustable foot for stability on uneven surfaces
- Oilite[®] bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on electric models
- Standard width 65cm (25")
- Choice of upholstery colours see back cover For alternative widths, please refer to price list.

- Model 6052 Protective base frame shrouding
- Model 5006 Orthopaedic arm support
- Model 5007 Orthopaedic full leg seat module
- Model 5008 Orthopaedic knee support accessory
- Model 5009 Orthopaedic leg support attachment
- Model 5010 Orthopaedic instrument tray
- Model 6007 Removable head/knee cushion
- Model 6103 Matching operators stool
- Model 6107 Deluxe saddle chair
- Model 6005 Paper roll holder
- Model 6004 Breathing hole and plug for prone treatments
- Model 6200 Single foot switch operation for model SM5565
- Model 6207 Double foot switch operation for model SM5575
- Model 6209 Triple foot switch operation for model SM5585
- See pages 34 and 35 for additional information




Model 5007. Orthopaedic full leg seat module



Model **5008.** Orthopaedic knee support accessory



Model **5009.** Orthopaedic leg support attachment




Model **5006.** Orthopaedic arm support attachment


ECHOCARDIOGRAPHY COUCH

Designed specifically for Echocardiography, this couch has electric operation of height, tilt and backrest angle and features an adjustable armrest support for the clinician and the backrest has a cut-away design for improved application of the transducer during scanning procedures.

MEDICARE ECHOCARDIOGRAPHY COUCH

SM3590 Electric with electric tilt and backrest operation





Model SM3590. Echocardiography Couch. Colour Cream

STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Electric adjustment of height, tilt and backrest angle with hand switch control
- Excellent height range from 50-102cm (19"-39")
- Electric backrest angle adjustable from horizontal to +85 degrees positive
- Electric trendelenberg tilt to 15 degrees
- Manual adjustment of foot section from negative -25 to +70 degrees positive
- The foot section incorporates anti-trap design gas strut
- Backrest design with cut-away for improved transducer positioning
- Fully adjustable arm support for clinician

- Integral footrest and side seat for clinician
- Handgrip and side support with cushion for patient positioning and security
- Oilite bearings on all pivot points
- Paper roll holder and head support cushion fitted as standard
- Retractable wheel design with adjustable foot for stability on uneven surfaces
- Standard width 65cm (25")
- Choice of upholstery colours see back cover For alternative widths, please refer to price list.

- Model ST6209 Triple foot switch operation
- See pages 34 and 35 for additional information



3 SECTION SCANNING COUCH

All models feature electric operation of height, backrest and tilt angles to provide smooth positioning for all scanning procedures. Choice of retractable wheel design or large mobile wheel design with steering facility and capability to move the onboard patient. The Deluxe models include the base shroud and matching

operators chair.


Model **SM3680D** Deluxe 3 Section Scanning Couch with matching chair. Colour Sky Blue

SCANNING COUCH CHOICE OF MODELS AVAILABLE

MEDICARE 3 SECTION

SM3680 3 Section Scanning Couch with large wheel design

SM3680D Deluxe 3 Section Scanning Couch with large wheel design





STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Electric positioning for height, backrest angle and tilt
- Adjustable angle backrest from horizontal to +85 degrees positive
- Adjustable angle foot section from -25 to +80 degrees positive
- The power assisted foot section incorporates anti-trap design gas strut
- The Deluxe models include the base shroud and matching operators chair
- There is a choice of retractable wheel or large wheel design for moving the onboard patient
- The large wheel design features a steering facility and central locking from a single lever
- Excellent height range from 50-102cm (19"-39")
- Paper roll holder and matching head cushion included as standard
- Oilite[®] bearings on all pivot points

- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on all models
- Standard width 65cm (25")
- Choice of upholstery colours see back cover For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Model 6053 Protective base frame shrouding
- Model 6057 Battery back-up facility
- Model 6209 Triple foot switch operation
- Model 6002 Side support rail (each)
- Model 6002P Side support rail cushion (each)
- Model 6007 Removable head support cushion
- Model 6100 Matching operators chair
- Model 6004 Breathing hole and plug for prone treatments
- See pages 34 and 35 for additional information

Model **SM3680** 3 Section Scanning Couch with optional base shroud. Colour Sky Blue

Model **SM3680** 3 Section Scanning Couch. Colour Sky Blue.


ULTRASOUND COUCH

Providing smooth electric positioning of height, tilt and backrest angle, this couch features a compact base frame and is ideal for both supine and seated procedures. The Deluxe model includes the base frame shroud and a matching operators chair. Optional accessories such as IV pole or leg supports for gynaecology procedures can be added to either of these models

MEDICARE ULTRASOUND COUCH CHOICE OF MODELS AVAILABLE

SM9686 Ultrasound Couch with electric height, tilt and backrest operation

SM9686D Deluxe Ultrasound Couch with base shroud and matching operators chair





STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Electric positioning for height, tilt and backrest operation
- Adjustable angle backrest from horizontal to +85 degrees positive
- Adjustable angle footrest adjustable from horizontal to -90 degrees negative
- The power assisted foot section incorporates anti-trap design gas strut
- Supplied with paper roll holder and matching head cushion
- Excellent height range from 50-102cm (19"-39")
- Compact frame design with retractable wheel system

Model SM9686.

- Adjustable foot for stability on uneven surfaces
- Oilite[®] bearings on all pivot points
- Hand switch fitted as standard

• Standard width 65cm (25")

• Choice of upholstery colours - see back cover For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Model 6052 Protective base frame shrouding
- Model 6209 Triple foot switch operation
- Model 6057 Battery back-up facility
- Model 6045 Leg supports for gynaecology procedures
- Model 6044 Lithotomy stirrups
- Model 6054 IV Pole
- Model 6100 Matching operators chair
- Model 6004 Breathing hole and plug for prone treatments
- Model 6041 Side support loops
- See pages 34 and 35 for additional information

Model SM9686. Ultrasound Couch in tilted mode.

Ultrasound Couch in seated mode with optional leg supports. Colour Grey

A specialist couch designed to provide a comfortable and easy to mount seat position for the patient with variable height elevation and fully adjustable arm supports for phlebotomy procedures.


PHLEBOTOMY COUCH

MEDICARE PHLEBOTOMY COUCH CHOICE OF MODELS AVAILABLE

SM9555P Hydraulic

SM9556P Electric

SM9557P Electric with electric backrest



Model **SM9556P** with optional base shroud. Colour Dark Blue

45cm 38

STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Adjustable angle backrest from -10 to +85 degrees positive
- Patient handgrip supports to aid mount/dismount from the couch and provide patient security
- Fully adjustable phlebotomy arms for use on either side of couch
- Fitted with paper roll holder
- Choice of manual or electric height elevation
- Excellent height range from 50-102cm (19"-39")
- Compact frame design with retractable wheel system
- Adjustable foot for stability on uneven surfaces
- Oilite[®] bearings on all pivot points

- The seat section is inclined for patient security
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on electric models
- Standard width 65cm (25")
- Choice of upholstery colours see back cover For alternative widths, please refer to price list.

- Model 6052 Protective base frame shrouding
- Model 6200 Single foot switch operation for Model SM9556P
- Model 6207 Double foot switch operation for Model SM9557P
- Model 6007 Removable head cushion
- Model 6100 Matching operators chair
- See pages 34 and 35 for additional information



MULTI COUCH – DUAL FOOTREST

MEDICARE MULTI COUCH -

CHOICE OF MODELS AVAILABLE

SM0585 Electric height, tilt and

MODEL SM0555 MODEL SM0565

MODEL SM0575

MODEL SMOSRS

DUAL FOOTREST

SM0555 Hydraulic

SM0565 Electric

SM0575 Electric with electric backrest

backrest operation

Incorporating both an adjustable angle backrest with patient armrests and dual adjustable footrests, these models are suitable for a wide range of seated examination procedures such as podiatry, leg ulcer clinics, and orthopaedic casting (plaster room). Ideal for GP Surgeries and Health Centres

> Model **SM0585** With triple foot switch option. Maximum height. Colour Grey

Model **SM0585** With triple foot switch option Colour Grev

STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Adjustable angle backrest from horizontal to +80 degrees positive
- Adjustable angle footrests adjustable from horizontal to -90 degrees negative
- The power assisted backrest and foot sections incorporate anti-trap design gas struts
- The footrests extend for tall patients
- The fold-down armrests have angular adjustment
- Choice of manual or electric height elevation
- Triple electric Model SM0585 includes paper roll holder and matching headrest
- Excellent height range from 50-105cm (19"-39")
- Compact frame design with retractable wheel system
- Adjustable foot for stability on uneven surfaces
- Oilite[®] bearings on all pivot points

- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard on electric models
- Standard width 65cm (25")
- Choice of upholstery colours see back cover For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Model 6052 Protective base frame shrouding
- Model 6004 Breathing hole and plug for prone treatments
- Model 6200 Single foot switch operation for model SM0565
- Model 6207 Double foot switch operation for model SM0575
- Model 6209 Triple foot switch operation for model SM0585
- Model 6005 Paper towel holder (included on model SM0585)
- Model 6007 Head support cushion (included on model SM0585)
- Model 6100 Matching operators chair
- See pages 34 and 35 for additional information

Model **SM0565** Minimum hight. Colour Emerald

GYNAECOLOGY COUCH


MEDICARE GYNAECOLOGY COUCH CHOICE OF MODELS AVAILABLE

SM8553 Hydraulic height elevation

SM8563 Electric height elevation

SM8573 Electric with electric backrest

SM8583 Electric height, tilt and backrest operation



Designed for general gynaecology procedures, these models are available with either hydraulic or electric operation and feature a wide choice of optional accessories to meet both financial and clinical requirements. All models feature a crescent shaped seat design and are supplied with fully adjustable leg supports and debris tray for gynaecology procedures.

> Model **SM8583.** Triple motor Gynaecology Couch . Colour Dark Blue

STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Adjustable angle backrest from horizontal to +80 degrees positive
- Crescent shaped seat design
- Fully adjustable patient leg supports
- Fitted with debris tray, side support loops and paper roll holder
- Option of adding a choice of seat extension
- Choice of manual or electric height elevation
- Excellent height range from 50-102cm (19"-39")
- Compact frame design with retractable wheel system
- Adjustable foot for stability on uneven surfaces
- Oilite[®] bearings on all pivot points
- Hand switch fitted as standard on electric models

• Standard width 65cm (25")

• Choice of upholstery colours - see back cover For alternative widths, please refer to price list.

- Model 6052 Protective base frame shrouding
- Model 6200 Single foot switch operation for Model SM8563
- Model 6207 Double foot switch operation for Model SM8573
- Model 6209 Triple foot switch operation for Model SM8583
- Model 6051 Fold-down seat extension accessory
- Model 6043 Removable seat extension accessory
- Model 6007 Matching head cushion (included on SM8583)
- Model 6100 Matching operators chair
- Model 6057 Battery back-up facility
- See pages 34 and 35 for additional information



DELUXE GYNAECOLOGY COUCH

Designed for colposcopy and general gynaecology procedures, the deluxe models feature electric positioning for height, backrest angle and tilt position. They are supplied with a special set of accessories which include a matching operators chair, base frame shrouding, choice of seat extension, leg supports and matching head cushion, side support loops, debris tray and paper roll holder.

MEDICARE DELUXE GYNAECOLOGY COUCH CHOICE OF MODELS AVAILABLE

SM8583D Deluxe Gynaecology Couch with removable extension

Height Range More - 202cm

SM8593D Deluxe Gynaecology Couch with fold-down extension

MODEL SM8583D

MODEL SM8593D

Height Range More - 200cm

Model SM8583D. Deluxe Gynaecology Couch .

Colour Cream

STANDARD MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 240kgs (528lbs=37.7 stone)
- Adjustable angle electric backrest from horizontal to +85 degrees positive
- Electric control of height and tilt angle
- Excellent height range from 50-102cm (19"-39")
- Crescent shaped seat design
- Fully adjustable patient leg supports
- Fitted with debris tray, side support loops and paper roll holder
- Supplied with matching operators chair and head cushion
- Supplied with choice of removable or fold-down seat extension
- Excellent height range from 50-102cm (19"-39")

- Compact frame design with retractable wheel system
- Adjustable foot for stability on uneven surfaces
- Oilite[®] bearings on all pivot points
- Base frame shrouding fitted as standard
- Hand switch fitted as standard
- Standard width 65cm (25")
- Choice of upholstery colours see back cover For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Model 6209 Triple foot switch operation
- Model 6057 Battery back-up facility
- See pages 34 and 35 for additional information

Model **SM8583D** Deluxe Gynaecology Couch with removable seat extension. Colour Cream



Model 6209. Triple Foot Switch option.

Model **SM8583D** Deluxe Gynaecology Couch. Colour Cream

These products meet the increasing requirements for providing examination couches with the capability of supporting extremely heavy patients. All these models have a safe working load and

> lifting capacity, from minimum height, of 325kgs (51 stone/715lbs).

BARIATRIC COUCHES


MEDICARE BARIATRIC COUCHES

CHOICE OF MODELS AVAILABLE

SM3573 Bariatric 3 section couch with retractable wheels

SM4542 Bariatric 2 section couch with retractable wheels

SM4642 Bariatric 2 section couch with large wheel design





odel **SM3573.** Bariatric 3 Section with optional breathing hole. Colour Grey

STANDARD 3 SECTION MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 325kgs (715lbs=51 stone)
- Adjustable angle electric backrest from horizontal to +80 degrees positive
- *Adjustable angle head/foot section from -25 to +75 degrees positive
- The power assisted foot section incorporates anti-trap design gas strut
- Electric height elevation from 43-97cm (17"-37")
- Retractable wheel design and adjustable foot for stability on uneven surfaces
- Oilite[®] bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard
- Standard width 85cm (33")
- Choice of upholstery colours see back cover For alternative widths, please refer to price list.

OPTIONAL COUCH ACCESSORIES

- Model 6207 Double foot switch operation
- Model 6074 Side support rails (each)
- Model 6074P Side support rail cushions (each)
- Model 6077 Deluxe memory foam upholstery



STANDARD 2 SECTION MODEL SPECIFICATION

- Safe working load and lifting capacity (from minimum height) of 325kgs (715lbs=51 stone)
- Adjustable angle electric backrest operation from horizontal to +80 degrees positive
- Choice of retractable wheel or large wheel design with steering facility
- Electric height elevation from 43-97cm (17"-37") and 45-98cm (18"-38") on large wheel models
- Oilite[®] bearings on all pivot points
- Clearance beneath frame for mobile hoist
- Hand switch fitted as standard
- Standard width 105cm (41")
- Choice of upholstery colours see back cover For alternative widths, please refer to price list.



FIXED HEIGHT COUCH

MODEL AVAILABLE

SM2700 Medicare Fixed Height Couch

STANDARD MODEL SPECIFICATION

- Extremely strong and rigid
- Fully adjustable raising backrest from horizontal to 75 degrees

Height 75cm

- Flat pack design for shipping.
- Adjustable foot for uneven surfaces.
- Standard height 75cm (30")

134cm

65cm

- Standard width 65cm x 195cm long
- Choice of upholstery colours see back cover For alternative widths, please refer to price list.
- See pages 34 and 35 for optional accessories.

Model SM2700 Medicare Fixed Height Couch. Colour Cream

MODEL 6100 Standard Operators Chair

Height range 48-60cm (19"-24") with adjustable backrest 5 star base with castors

MODEL 6101 High Operators Chair

Height range 59-84cm (23"-33") with adjustable backrest Adjustable height foot ring support 5 star base with glides

OPERATORS CHAIRS AND STOOLS

MODEL 6107 Deluxe Saddle Seat

A really comfortable and good quality design with tilting seat facility

- Height range 54 -71cms
- 63-84cms available on request.
- 5 star base with castors
- Available in Black or Navy only

MODEL 6109 Mobile Operators Stool Very stable base design with castors. Height range 50-70cm (20"-28") Available in Black or Navy only

MODEL 6103 Standard Operators Stool

Height range 48-60cm (19"-24") 5 star base with castors

MODEL 6104 High Operators Stool Height range 59-84cm (23"-33") Adjustable foot ring support 5 star base with glides

Model 6103 Standard Operators Stool. Colour Cream

Model 6104 High Operators Stool. Colour Black

Model 6101 High Operators Chair. Colour Navy

Model 6100 Standard Operators Chair. Colour Sky Blue

MODEL 6102 Deluxe Operators Chair

Height range 48-60cm (19"-24") with adjustable high level backrest Adjustable height armrest supports (5 settings) and seat tilt facility 5 star base with castors

Model 6109 Mobile Operators Stool. Colour Black

Model 6102 Deluxe Operators Chair. Colour Grey 33



OPTIONAL COUCH ACCESSORIES



Model 6200 Foot Switch This switch is placed on the floor and operated by foot to raise or lower the couch effortlessly.



Model 6001 Perimter Foot Switch

Available as an alternative to hand or foot switch control on electric models, this integral system enables the therapist to control the height of the couch by simple "up or down" foot pressure on the perimeter bar.



Model 6004 Breathing Hole and Plug The comfortable breathing hole with removable plug improves patient comfort when lying prone.



Model 6053 Protective Base Shrouding An easy to clean moulded shroud that covers all the moving parts of the base frame.



Model 6005 Paper Towel Holder

This is usually fitted to the reverse of the backrest to enable paper towel to be dispensed easily over the full length of the couch or backrest as desired.



Model 6007 - Removable Head/Knee Support

This "half moon" shaped support is ideal for supporting the head, neck or lower limb during specific treatments or positioned purely for comfort. This cushioned foam support is available in a choice of 6 upholstery colours see back cover





Model 6002 Side Support Rails

The "swing-down" side support rails can be added to either one or both sides of the couch. The support rails are nylon coated for durability



Model 6002P Side Support Cushion

Support cushions for additional comfort and protection can be added to the side support rails. The cushions are made from high density foam and matching upholstery.



Model 6006 Upper Limb Support Upper limb support can be attached easily to the couch, providing a fully adjustable support surface for upper limb procedures.



Model 6020 Adjustable Height Leg Support A lightweight and portable device used for supporting the leg or foot during lower limb procedures.



Model 6044 Gynaecology Stirrups Traditional lithotomy stirrups can be fitted as an alternative to leg supports when desired.



Model 6041 Side Support Loops Arm support loops can be added to offer greater patient support and security when required.


Model 6045 Gynaecology Leg Supports Articulating moulded leg supports with height and rotational adjustment for ultimate positioning.



Model 6054 IV Pole The Telescopic IV pole is simple to attach to either side of the couch and is removable when necessary.

Upholstery Colour Range

All of the SEERS MEDICAL products are available in a choice of 7 upholstery colours




Other upholstery colours available on request, please contact the sales office for further details

PLEASE NOTE: The illustrated colours may vary slightly from actual vinyl supplied. This occurs due to the four colour printing process. However every attempt has been made to make them as accurate as possible.

www.seersmedical.com

MANUFACTURED IN THE UNITED KINGDOM



Flame RetardantBS5852 Crib 5 IMO FTPC Part 8, Cal 117, M2, B1

- Anti-bacterial Will not support microbial or fungal growth including Salmonella, E Coli and MRSA
- Waterproof Water or oil based solutions will not penetrate or absorb into the fabric; Hydrostatic Head BS3424 >1 meter
- Martindale abrasion End point >100,000
 - Tear strength BS4303 Severe Contract Grade
- Breaking strength BS2576:1988
 - Stain resistant Excellent stain removal has been observed for grease, ink, blood, urine, coffee, iodine, betadine, ketchup, chewing gum, chocolate, grape juice



SEERS MEDICAL LTD

Dark Blue

3 Wilford Bridge Spur, Melton, Suffolk, IP12 1RJ, UK **t:** +44 (0)1394 387227 **f:** +44 (0)1394 388634 **e:** info@seersmedical.com **w:** www.seersmedical.com

© Copyright Seers Medical Ltd 2009.